

**Material Safety Data Sheet**  
May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200 Standard must be  
consulted for specific requirements.

**U.S. Department of Labor**  
Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

P/N 48018A

**IDENTITY (as Used on Label and List)**  
**BioSonic® Enzymatic Ultrasonic Cleaner Cat. No. UC-32**

*Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.*

**Section**

Manufacturer's Name <b>Coltène/Whaledent, Inc.</b>	Emergency Telephone Number <b>201-512-8000</b>
Address (Number, Street, City, State, and Zip Code) <b>750 Corporate Drive</b>	Telephone Number for Information <b>201-512-8000</b>
<b>Mahwah, NJ 07430</b>	Date Prepared <b>July 1996</b>
	Signature of Preparer (optional)

**Section II - Hazardous Ingredients/Identity Information**

Hazardous Components (Specific Chemical Identity: Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended
<b>Isopropyl Alcohol</b>		<b>400 ppm (TWA)</b>	

**Section III - Physical/Chemical Characteristics**

Boiling Point	<b>Unknown</b>	Specific Gravity (H <sub>2</sub> O = 1) <b>(D-1298)</b>	<b>1.0291</b>
Vapor Pressure (mm Hg.) <b>(D-5191)</b>	<b>173</b>	Melting Point	<b>N/A</b>
Vapor Density (AIR = 1)	<b>Unknown</b>	Evaporation Rate (Butyl Acetate = 1)	<b>Unknown</b>
Solubility in Water			
Appearance and Odor <b>Transparent orange liquid</b>	<b>Odor: Floral</b>		

**Section IV - Fire and Explosion Hazard Data**

Flash Point (Method Used) <b>Tag closed cup 146°F (63°C)</b>	Flammable Limits <b>N/A</b>	LEL <b>N/A</b>	UEL <b>N/A</b>
Extinguishing Media <b>N/A</b>			
Special Fire Fighting Procedures <b>N/A</b>			
Unusual Fire and Explosion Hazards <b>N/A</b>			